



FA SERIES FANS

Performance Charts | FAPC-1



FA-22 Inlet diameter: 25 1/8" Wheel diameter: 22 1/4" Wheel Circumference: 5.82" Fan Outlet Area: 2.85 sq. ft.

Table with 13 columns: CFM, OV, 4" SP, 4.5" SP, 5" SP, 5.5" SP, 6" SP, 6.5" SP, 7" SP, 7.5" SP, 8" SP, 8.5" SP. Each SP column contains RPM and BHP values.

Table with 13 columns: CFM, OV, 9" SP, 9.5" SP, 10" SP, 10.5" SP, 11" SP, 11.5" SP, 12" SP, 12.5" SP, 13" SP, 14" SP. Each SP column contains RPM and BHP values.

FA-24 Inlet diameter: 27 5/8" Wheel diameter: 24 1/2" Wheel Circumference: 6.40" Fan Outlet Area: 3.45 sq. ft.

Table with 13 columns: CFM, OV, 4" SP, 4.5" SP, 5" SP, 5.5" SP, 6" SP, 6.5" SP, 7" SP, 7.5" SP, 8" SP, 8.5" SP. Each SP column contains RPM and BHP values.

Table with 13 columns: CFM, OV, 9" SP, 9.5" SP, 10" SP, 10.5" SP, 11" SP, 11.5" SP, 12" SP, 12.5" SP, 13" SP, 14" SP. Each SP column contains RPM and BHP values.



KICE INDUSTRIES, INC.

FA SERIES FANS

FA-40 Inlet diameter: 44 1/2" Wheel diameter: 40 1/4" Wheel Circumference: 10.53" Fan Outlet Area: 9.31 sq. ft.

Table with 13 columns (CFM, OV, 4" SP, 4.5" SP, 5" SP, 5.5" SP, 6" SP, 6.5" SP, 7" SP, 7.5" SP, 8" SP, 8.5" SP) and 21 rows of performance data for FA-40 fans.

Table with 12 columns (CFM, OV, 9" SP, 9.5" SP, 10" SP, 10.5" SP, 11" SP, 11.5" SP, 12" SP, 12.5" SP, 13" SP, 14" SP) and 21 rows of performance data for FA-40 fans.

FA-44 Inlet diameter: 49 1/2" Wheel diameter: 44 1/2" Wheel Circumference: 11.64" Fan Outlet Area: 11.39 sq. ft.

Table with 13 columns (CFM, OV, 4" SP, 4.5" SP, 5" SP, 5.5" SP, 6" SP, 6.5" SP, 7" SP, 7.5" SP, 8" SP, 8.5" SP) and 21 rows of performance data for FA-44 fans.

Table with 12 columns (CFM, OV, 9" SP, 9.5" SP, 10" SP, 10.5" SP, 11" SP, 11.5" SP, 12" SP, 12.5" SP, 13" SP, 14" SP) and 21 rows of performance data for FA-44 fans.

KICE INDUSTRIES, INC.

5500 N. Mill Heights Dr.

Wichita, KS 67219-2358

(P) 316.744.7151

(F) 316.744.7355

sales@kice.com

kice.com